

<b>FQHC DAP Requirements FFY19</b>			
<b>Patient Population: Homeless/transient &gt;20% or uninsured &gt;50%</b>			
<b>Clinical Quality Measure</b>	<b>CQM</b>	<b>MPS</b>	<b>DAP Value</b>
Patients with Colorectal Cancer Screening	CMS130v5	Increase over prior year greater than 5%	0.5%
Patients with Diabetes Hemoglobin A1c Poor Control (Diabetic Patients with HbA1c > 9%) or No Test During Year	CMS122v5	Decrease from prior year greater than 5%	0.5%
Weight Assessment and Counseling for Nutrition and Physical Activity for Children and Adolescents	CMS155v5	Increase over prior year greater than 5%	0.5%

<b>All Other FQHCs</b>			
<b>Clinical Quality Measure</b>	<b>CQM</b>	<b>MPS</b>	<b>DAP Value</b>
Patients with Colorectal Cancer Screening	CMS130v5	greater than 65%	0.5%
Patients with Diabetes Hemoglobin A1c Poor Control (Diabetic Patients with HbA1c > 9%) or No Test During Year	CMS122v5	less than 41%	0.5%
Weight Assessment and Counseling for Nutrition and Physical Activity for Children and Adolescents	CMS155v5	greater than 55%	0.5%

<b>FQHC DAP Requirements Effective FFY20</b>			
<b>Patient Population: Homeless/transient &gt;20% or uninsured &gt;50%</b>			
<b>Clinical Quality Measure</b>	<b>CQM</b>	<b>MPS</b>	<b>DAP Value</b>
Patients with Colorectal Cancer Screening	CMS130v5	Increase over prior year greater than 2.5%	0.5%
Patients with Diabetes Hemoglobin A1c Poor Control (Diabetic Patients with HbA1c > 9%) or No Test During Year	CMS122v5	Decrease from prior year greater than 2.5%	0.5%
Weight Assessment and Counseling for Nutrition and Physical Activity for Children and Adolescents	CMS155v5	Increase over prior year greater than 2.5%	0.5%

<b>All Other FQHCs</b>			
<b>Clinical Quality Measure</b>	<b>CQM</b>	<b>MPS</b>	<b>DAP Value</b>
Patients with Colorectal Cancer Screening	CMS130v5	greater than 65%	0.5%

Patients with Diabetes Hemoglobin A1c Poor Control (Diabetic Patients with HbA1c > 9%) or No Test During Year	CMS122v5	less than 41%	0.5%
Weight Assessment and Counseling for Nutrition and Physical Activity for Children and Adolescents	CMS155v5	greater than 55%	0.5%

<b>FQHC DAP Requirements Effective FFY22</b>			
<b>Patient Population: Homeless/transient &gt;20% or uninsured &gt;50%</b>			
<b>Clinical Quality Measure</b>	<b>CQM</b>	<b>MPS</b>	<b>DAP Value</b>
Patients with Colorectal Cancer Screening	CMS130v5	Increase over prior year greater than 2.5%	0.5%
Patients with Diabetes Hemoglobin A1c Poor Control (Diabetic Patients with HbA1c > 9%) or No Test During Year	CMS122v5	Decrease from prior year greater than 2.5%	0.5%
Weight Assessment and Counseling for Nutrition and Physical Activity for Children and Adolescents	CMS155v5	Increase over prior year greater than 2.5%	0.5%

<b>All Other FQHCs</b>			
<b>Clinical Quality Measure</b>	<b>CQM</b>	<b>MPS</b>	<b>DAP Value</b>
Patients with Colorectal Cancer Screening	CMS130v5	greater than 60%	0.5%
Patients with Diabetes Hemoglobin A1c Poor Control (Diabetic Patients with HbA1c > 9%) or No Test During Year	CMS122v5	less than 48%	0.5%
Weight Assessment and Counseling for Nutrition and Physical Activity for Children and Adolescents	CMS155v5	greater than 42%	0.5%

Starting in FFY 2022, health centers who qualify under the Homeless/transient or uninsured category may qualify for DAP using either table criteria

<b>FQHC DAP Requirements Effective FFY23</b>			
<b>Patient Population: Homeless/transient &gt;20% or uninsured &gt;50%</b>			
<b>Clinical Quality Measure</b>	<b>CQM</b>	<b>MPS</b>	<b>DAP Value</b>
Patients with Colorectal Cancer Screening	CMS130v5	Increase over prior year greater than 2.5%	0.5%

Patients with Diabetes Hemoglobin A1c Poor Control (Diabetic Patients with HbA1c > 9%) or No Test During Year	CMS122v5	Decrease from prior year greater than 2.5%	0.5%
Weight Assessment and Counseling for Nutrition and Physical Activity for Children and Adolescents	CMS155v5	Increase over prior year greater than 2.5%	0.5%

<b>All Other FQHCs</b>			
<b>Clinical Quality Measure</b>	<b>CQM</b>	<b>MPS</b>	<b>DAP Value</b>
Patients with Colorectal Cancer Screening	CMS130v5	greater than 60%	0.5%
Patients with Diabetes Hemoglobin A1c Poor Control (Diabetic Patients with HbA1c > 9%) or No Test During Year	CMS122v5	less than 48%	0.5%
Weight Assessment and Counseling for Nutrition and Physical Activity for Children and Adolescents	CMS155v5	greater than 42%	0.5%

In FFY 2023, health centers who qualify under the Homeless/transient or uninsured category may qualify for DAP using either table criteria

Version 3/10/2022