

EXHIBIT 1620-3, UNIFORM ASSESSMENT TOOL AND GUIDELINES

MEMBER NAME: Click or tap here to enter text. REVIEW DATE: _____ CLASS: _____ CM: _____
 DETERMINED CLASS: Click or tap here to enter text. REVIEW DATE: _____ CLASS: _____ CM: _____
 DATE CLASS DETERMINED: Click or tap here to enter text. REVIEW DATE: _____ CLASS: _____ CM: _____

Acuity determinations are based on this Uniform Assessment Tool (UAT) matrix which describes characteristics of members in each level. Information is gathered through assessment of the member, interview with nursing facility staff, and medical record review, with particular attention to documentation regarding the past 30 days and updates within the Minimum Data Set (MDS) as specified in AMPM Policy 680-A. *If the Case Manager (CM) is uncertain regarding member's level of care, they shall review the case with their manager.*

<u>ACUITY LEVEL</u>			
	<u>CLASS 1</u> MEMBER HAS <u>THREE</u> OR MORE OF THE FOLLOWING	<u>CLASS 2</u> MEMBER HAS <u>FOUR</u> OR MORE OF THE FOLLOWING:	<u>CLASS 3</u> MEMBER HAS <u>FIVE</u> OR MORE OF THE FOLLOWING:
BATHING, DRESSING, GROOMING	Independent or may participate in care, but requires assistance with bathing, dressing, and/or grooming.	Requires moderate assistance with bathing, dressing, and/or grooming.	Requires maximum assistance with bathing, dressing, and grooming (e.g., bed bathing and drying).
FEEDING/ EATING	Independent or requires minimum set up/prompting assistance with feeding/ eating.	Requires moderate assistance with feeding/eating.	Requires maximum assistance with feeding/eating (e.g., tube feeding).
MOBILITY	Independent or requires minimum or stand by assistance to move from one location to another with or without assistive devices.	Requires moderate assistance to move from one location to another with or without assistive devices.	Requires maximum assistance to move from one location to another with or without assistive devices.
TRANSFERRING	Can transfer to some or all surfaces independently. Requires the assistance of no more than one person to transfer from one surface to another with or without assistive devices.	Requires hands-on physical guidance or assistance of one person for all transfers with or without assistive devices. The member may participate by being able to bear weight and pivot.	Requires assistance of two or more people to be physically lifted or moved from one surface to another with or without assistive devices.
BOWEL/ BLADDER	Continent or occasionally incontinent (<i>less than seven times per week</i>) of bowel and/or bladder or may be continent at times with a training program.	Moderately (daily but some control) incontinent of bowel and/or bladder.	Totally incontinent of bowel and/or bladder, receives scheduled toileting on a daily basis to avoid incontinence and/or receives care of a catheter or ostomy.

EXHIBIT 1620-3, UNIFORM ASSESSMENT TOOL AND GUIDELINES

	CLASS 1 MEMBER HAS <u>THREE</u> OR MORE OF THE FOLLOWING	CLASS 2 MEMBER HAS <u>FOUR</u> OR MORE OF THE FOLLOWING:	CLASS 3 MEMBER HAS <u>FIVE</u> OR MORE OF THE FOLLOWING:
ORIENTATION/ BEHAVIOR	Requires no intervention or requires minimum staff intervention for episodes of confusion, memory deficits, impaired judgment, or agitation. May require temporary (24 hours or less) restraints to control a behavioral or medical problem and restraints for personal safety.	Requires moderate staff intervention. May have periodic emotional or mental disturbances, including combativeness.	Requires maximum staff intervention. May be disoriented, confused, combative, withdrawn, or depressed. May need restraints (physical/chemical) for personal safety or protection of others.
MEDICAL CONDITION	Stable, with no or some routine nursing/medical monitoring and care.	Conditions require more frequent monitoring to maintain stability (e.g., unstable hypertension needing frequent assessment and medication adjustment).	Conditions require intense professional intervention to maintain stability (e.g., unstable diabetes, coma, terminal medical condition).
MEDICAL/ NURSING TREATMENT	None or routine, such as range of motion and injections, as well as routine medication administration and routine catheter care. ANYTHING MORE WOULD COUNT UNDER CLASS 2	Skilled nursing treatment in addition to routine medication administration (e.g., treatment for skin condition.)	Relatively complex, with more than one professional or technical treatment, such as IV therapy, tube or parenteral feeding, care of recent wound, care of infected or stage four decubitus, deep suctioning, or an extensive rehab regime.

For Activities of Daily Living (ADL): Minimum means some or less than half of the task, moderate means approximately one-half to less than three-quarters of the task, and maximum means extensive or approximately three-quarters of the task or more.

I. PURPOSE

The purpose of the Uniform Assessment Tool (UAT) is to assess the acuity of Nursing Facility (NF) residents. Refer to AMPM Policy 1620-E for more detailed information. The UAT will also be used on Home and Community Based Services (HCBS) members when determining the institutional rate to use when developing a Cost Effectiveness Study (CES).

The use of the UAT is not intended to impact how the Contractor determines authorizations for specialty levels of care (e.g., wandering dementia and medical sub-acute).

II. DEFINITIONS

The following definitions apply for **most** situations. Exceptions are noted within this document and on the UAT.

1. **Minimum** = means independent or less than half the task.
2. **Moderate** = means approximately 50% to less than 75% of the task.
3. **Maximum** = means extensive or approximately 75% of the task or more.

III. ASSESSMENT CATEGORIES

The following information is for the purpose of assisting the case manager in completing the UAT. The information that follows is not intended to be all-inclusive. Case managers shall consult with their supervisor/manager when a Characteristic (listed below) does not clearly fall within a specific level.

The UAT is made up of eight Characteristics:

1. Bathing/Dressing/Grooming.
2. Feeding/Eating.
3. Mobility,
4. Transferring,
5. Bowel/Bladder,
6. Orientation/Behavior,
7. Medical Condition, and
8. Medical/Nursing Treatment.

Each Characteristic is assessed for one of three acuity levels. The cumulative levels determined for each Characteristic will determine the overall Class Level for the member (Class 1, Class 2, or Class 3).

A single UAT form is designed to allow the case manager to document up to four assessments. The case manager shall document the assessment-related date in the box associated with a Characteristic's determined acuity. When the eight Characteristics are assessed, determine the Class level as summarized on the UAT. Finally, document, at the top of the tool, the review date, Class, and the case manager's initials. The first assessment is documented in the upper left corner. Subsequent assessments would be documented in the upper right corner.

A. BATHING/DRESSING/GROOMING

Bathing - The process of washing, rinsing, and toweling the body or body parts and transferring in/out of the tub or shower. This includes the ability to get the bath water and/or equipment, whether this is in bed, tub, shower, or sink. Use of assistive devices such as tub/shower chair, pedal/knee controlled faucets, or long-handled brushes does not disqualify the member from being independent. If the member has a problem getting to and from the bathroom to bathe, that should be reflected in the Mobility section and should not affect the score for bathing.

Assessment Considerations:

1. When taking a bath/shower, can the member get their own towel, washcloth, soap, and run the water?
2. Can the member tell if the water is too hot or too cold?
3. Is the member able to get in and out of the shower or tub by themselves?
4. Does the member need a bath bench, shower seat or handheld shower to assist with bathing?
5. What kind of problems does the member have with bathing him/herself?

Minimum = The member requires up to minimal supervision, verbal cueing, assistance in and/or out of the shower, and may need assistance with washing back or lower extremities.

Moderate = The member requires step-by-step cueing with the entire bathing process, one person assist getting in and out of the tub/shower, and/or hands-on assistance with approximately 50% to 75% of the bathing process.

Maximum = The member is dependent on others for assistance with approximately 75% or more of the bathing process or requires assistance of two or more persons to get in and out of shower/tub or requires the use of a Hoyer lift.

Dressing - Dressing includes laying out, putting on and fastening of clothing and footwear. Use of assistive devices such as reachers, sock pullers, shoehorns, Velcro fasteners does not disqualify the member from being independent.

Assessment Considerations:

1. Can the member choose their own clothes, get them from the closet or drawer, put them on and button the buttons, fasten/close the zipper or tie their shoes?
2. If someone lays out the clothes, can the member put them on?
3. Does the member have assistive devices to assist in dressing, such as reachers, sock pullers, shoehorns, Velcro fasteners?
4. How does the member get dressed if help is needed?

Minimum = The member may need some supervision or reminding (for example, laying out clothes, giving advice or being available).

Moderate = The member required hands-on physical assistance of another individual or supervision with approximately 50% to 75% of the dressing activities.

Maximum = The member needs assistance with dressing approximately 75% or more of the time.

Grooming - Grooming activities include combing hair, shaving, brushing teeth, washing hands/face, nail care and/or menses care. Obtaining the water and supplies necessary to complete the task are included in grooming.

Assessment Considerations:

1. Can the member run the sink water and wash their face, comb their hair, and brush their teeth?

Minimum = The member needs up to minimal supervision or reminding (e.g., setting up grooming implements, giving advice, being available, menses care).

Moderate = The member requires some physical assistance or supervision or step-by-step cueing with approximately 50% to 75% of their grooming activities.

Maximum = The member is dependent on others for assistance with approximately 75% or more of their grooming activities.

B. EATING/FEEDING

Eating/Feeding – The process of getting nourishment by any means from a receptacle (e.g., dish, plate, cup, glass, bottle) into the body. Use of mechanical aids such as modified utensils or plate guards does not disqualify the member from being independent.

Assessment considerations:

1. Can the member effectively get food and beverages into his/her mouth?
2. Can the member cut his/her own meat?
3. Does the member use any mechanical aids to assist with eating?
4. Is the member receiving an intravenous or tube feeding as a means of total nutrition?
5. Does the member need cueing or supervision to ensure an adequate intake?

Minimum = Member requires some supervision, reminding, set-up or cutting, including alteration of food (e.g., pureeing) or hands-on assistance with less than half of the meal task.

Moderate = Member requires hands-on physical assistance, cueing or reminding with approximately 50% to 75% of the meal task, but can participate physically.

Maximum = Member requires hands-on physical assistance with approximately 75% or more of the meal task or is totally dependent for nutritional needs (e.g., tube feeding or TPN).

C. MOBILITY

Mobility – The extent of the member’s purposeful movement within their residence. The use of assistive devices such as a wheelchair, walker or quad cane does not disqualify the person from being independent.

Assessment Considerations:

1. Can the member purposely move about in his/her current environment independently?
2. Does the member have an unstable gait or balance?
3. Could the member avoid an obstacle in his/her path?
4. Does the member use any assistive devices such as a cane, walker, wheelchair, or handrails?
5. Is the member unsafe without the assistance of another person in ambulating?

Minimum = Approximately 50% or less of the time the member requires supervision, standby or hands-on assistance by one person for safety, including adjustment of assistive devices or restraints.

Moderate = Approximately 50% to 75% of the time the member requires supervision, standby assistance, or hands-on assistance of one person, including adjustment of assistive devices or restraints.

Maximum = Approximately 75% or more of the time the member requires hands-on assistance of one or more persons or may be totally dependent on others for mobility (e.g., cannot self-propel wheelchair).

D. TRANSFERRING

Transferring – The member’s ability to move horizontally and/or vertically between the bed, chair, wheelchair, commode, etc.

Assessment Considerations:

1. Can the member move horizontally or vertically between the bed, chair, wheelchair, or commode independently?
2. Does the member display any weakness or unsteady balance, which would require assistance when transferring?
3. Does the member use any mechanical devices such as a walker, cane, handrails, or wheelchair to assist with transfers?
4. Can the member physically participate in the transfer by pivoting, holding on, or bracing themselves to assist the caregiver?

Minimum = Can transfer to some or all surfaces independently. If needed, the assistance of no more than one person to transfer from one surface to another with or without assistive devices. The member may require some supervision or reminding or standby assistance for safety.

Moderate = The member requires hands-on physical guidance or assistance of one person for all transfers. The member may participate by being able to bear weight and pivot.

Maximum = The member requires assistance of two or more people to be physically lifted or moved.

E. BOWEL/BLADDER CONTINENCE

Continence – The ability to voluntarily control the discharge of body waste from bladder or bowel. Incontinence means the involuntary loss of bowel and bladder contents. Stress incontinence means the inability to prevent escape of small amounts of bowel/bladder contents during certain activities such as coughing, lifting, or laughing.

Those who willfully toilet in inappropriate places will not necessarily be assessed as being incontinent. These behaviors may be assessed in other parts of this instrument (e.g., Behaviors). Those who receive dialysis and do not urinate will be rated as continent of bladder.

Members who have no voluntary control secondary to physiological conditions and rely upon dilatation, indwelling catheters, intermittent catheterization, ostomies, condom catheters or placed urinals for evacuation should be rated as totally incontinent in the applicable function.

Bladder Continence – The ability of the member to voluntarily control the discharge of body wastes from the bladder. A member with a Foley catheter or ostomy shall be scored maximum.

Assessment Considerations:

1. Does the member have any episodes of incontinence?
2. Can the member “hold their urine” until they get to the toilet?
3. Does the member have accidents when they sneeze or cough?
4. How frequently does the member have accidents – once or twice a week, every day, once a month?

Minimum = The member may be incontinent less than seven times a week.

Moderate = The member may be frequently incontinent or incontinent daily, but some control is present (for example, daytime, or if toileted frequently).

Maximum = The member is totally incontinent of bladder, receives scheduled toileting on daily basis to avoid bladder incontinence and/or receives care of a catheter or ostomy.

Bowel Continence - The ability of the member to voluntarily control the discharge of body wastes from the bowel. A member with an ostomy will be scored maximum.

Assessment Considerations:

1. Does the member have bowel accidents?
2. Does the member ever soil their clothing?
3. How often does the member have accidents?

Minimum = The member may be continent less than seven times per week.

Moderate = The member may be frequently incontinent (seven times or more per week) or incontinent daily, but some control is present.

Maximum = The member has no voluntary control of bowel and/or receives care of an ostomy.

F. ORIENTATION/BEHAVIOR

Behavior – Identify the presence of certain behaviors that may reflect the level of an individual’s emotional functioning and need for intervention. Behaviors shall be assessed based on the last 90 days (with particular attention to the past 30 days), or since the last review. Documentation shall include frequency and type of behavior and if there has been or will be a request for mental health services.

Wandering is defined as moving about with no rational purpose and with a tendency to go beyond physical parameters of the environment in a manner that may jeopardize safety of self or others.

Repeated behaviors that cause injury to self (e.g., biting scratching, picking behaviors; putting inappropriate objects into the ear, mouth or nose; head slapping or banging) or others (e.g., physically attacking another individual, throwing objects, punching, biting, pushing, pinching, pulling hair and physically threatening behavior).

Other repeated behaviors that interfere with the activities of others or the individuals' own activities: for example, putting on or removing clothes inappropriately, stubbornness, sexual behavior inappropriate to time, place or individual, excessive crying or screaming, persistent pestering or teasing; constantly demanding attention and urinating or defecating in inappropriate places, or threats and/or attempts to take one's own life.

Minimum = Requires staff intervention less than 50% of the time for episodes of confusion, memory defects, impaired judgment, or agitation. May require temporary (24 hours or less) restraints to control a behavioral or medical problem and restraints for personal safety.

Moderate = Requires staff intervention approximately 50% to 75% of the time for episodes of confusion, memory defects, impaired judgment, or agitation. May have periodic emotional or mental disturbances, including combativeness.

Maximum = Requires staff intervention approximately 75% or more of the time. May be disoriented, confused, combative, withdrawn, or depressed. May need restraints (physical/chemical) for personal safety or protection of others.

G. MEDICAL CONDITION

Medical Condition – Refers to the degree of stability of health care needs that may require nursing and/or medical monitoring of treatment(s) and/or therapy to restore and/or maintain function. This does not include maintenance regimens (monthly weights and blood pressure checks).

Minimum = Stable, with routine nursing/medical monitoring and care.

Moderate = Conditions require more frequent professional monitoring to maintain stability (e.g., unstable hypertension needing frequent assessment and medication adjustment).

Maximum = Conditions require intense professional intervention to maintain stability (e.g., unstable diabetes, coma, terminal medical conditions).

H. MEDICAL/NURSING TREATMENTS

Medical/Nursing Treatments – Refers to level of nursing and/or medical care that is required to perform medical assistance and interventions with current health care needs.

Minimum = Routine treatments, such as range of motion and injections, as well as routine medication administration and routine catheter care. Anything more would be considered at least “moderate”.

Moderate = Skilled nursing treatment in addition to routine medication administration (e.g., treatment of stage one to three pressure ulcer, tube feeding).

Maximum = Relatively complex, with more than one professional or technical treatment, such as IV therapy, tube or parenteral feeding, care of recent wound, care of infected or stage four pressure ulcer, deep suctioning, or an extensive rehab regimen.